

## CLAIMS

We claim:

5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995  
1000

1. A computer system for providing one or more visualizations to one or more users, the system comprising

one or more central processing units (CPUs), one or more memories, and one or more network interfaces to one or more networks;

a sessionization process that receives one or more Web server logs from one or more online stores, and generates one session table for each session found from requests recorded in Web server logs;

a shopping step finder process that receives one or more session tables, and generates one micro-conversion table for each given session table; and

a visualization process that receives one or more micro-conversion tables, and generates one or more micro-conversion visualizations of one or more micro-conversions.

2. A system, as in claim 1, where the Web server log includes one or more Web page request records.

Dr. 647  
3. A system, as in claim 2, where the Web page request record comprises a timestamp that is the system-generated time when the request is made, a user ID that is a unique number identifying the user who made the request, a session ID that is a unique number identifying the session which made the request, a referrer that is the Web page the session sees immediately before making this request, a current page that is the Web page requested, and a group of hyperlinks that is contained in the current page.

4. A system, as in claim 1, where the session table includes one or more Web page request records with all the session ID values in a session table being the same.

5. A system, as in claim 1, where the micro-conversion table comprises shopping steps in an online store and product entries for each shopping step.

10  
00654202 000000  
15  
Sub C1  
6. A system, as in claim 5, where the shopping steps include a product impression that is the view of hyperlink to a Web page presenting a product and/or a service, a clickthrough that is the click on the hyperlink and view of the Web page of the product and/or service, a basket placement that is the placement of the item in the shopping basket, and a purchase that is the purchase of the item and the completion of the transaction.

20  
Dr. 057  
7. A system, as in claim 5, where the product or service entry comprises a product or service ID that is a unique number identifying the product or service, and a timestamp when the corresponding shopping activity happens.

8. A system, as in claim 1, where the micro-conversion visualization comprises a traditional parallel coordinate system and one or more extension components.

9. A system, as in claim 8, where the traditional parallel coordinate system is a parallel coordinate system comprising a series of parallel lines that are placed equidistantly, each parallel line being assigned a specific dependent variable and dependent variable values being plotted along the respective axis, and an independent variable that is represented by polygonal lines connecting the corresponding dependent variable values (also referred to as data points) and illustrating a relationship between an independent variable and the dependent variables appearing on each axis.

10. A system, as in claim 8, where the extension components include one or more parallel axes of sequential events, one or more dependent variable values of timestamps, one or more dropouts of polygonal lines, one or more filters, one or more categorizers,, and one or more hyperlink association.

11. A system, as in claim 10, where the parallel axes of sequential events is an assignment of a series of sequential events to parallel lines in a parallel coordinate system.

12. A system, as in claim 11, where the sequential events include one or more steps of shopping in one or more stores, and one or more product or service development steps.

13. A system, as in claims 10, where the dependent variable values of timestamps is an assignment of timestamp values as data points to a series of sequential events that are assigned to the equal number of parallel axes in a parallel coordinate system.

5 13. A system, as in claims 10, where the dropout of a polygonal line is disappearance of a polygonal line before the line reaches the last parallel axis in a parallel coordinate system with the parallel axes of sequential events.

10 14. A system, as in claim 10, where the filter is a means to select and/or de-select one or more groups of polygonal lines viewed in a parallel coordinate system.

15. A system, as in claim 10, where the categorizer is a parallel axis in a parallel coordinate system whose purpose is to categorize polygonal lines in the system.

16. A system, as in claim 15, where the categorizer includes one or more of the following: the referrer Web sites of sessions, the ISPs (Internet Service Providers) of sessions, the lengths of sessions, the methods used to find product or service information by sessions, the geographic regions where sessions come from, the ages, sex, education levels, and income levels of the owners of sessions, the sales history of the owners of sessions, the Web page patterns accessed by sessions or by the owners of sessions, either or not ordered by session, or by time.

Sub  
Part 7

17. A system, as in claim 10, where the hyperlink association is the association of one or more hyperlinks with the polygonal line representing a session, clicking on the polygonal line opens a Web page delivering detail information of the session.

5

18. A method for visually analyzing clickstream data comprising the steps of

receiving one or more Web server logs from one or more online stores' Web server systems;

generating one or more session tables from the given Web server log(s);

generating one or more micro-conversion tables from the generated session table(s);

generating one or more micro-conversion visualizations from the generated micro-conversion tables; and

interactively generating one or more variations of the generated micro-conversion visualizations upon interactive requests from one or more users.

Sub  
2008

19. A computer system for visually analyzing clickstream data comprising:

means for receiving one or more Web server logs from one or more online stores' Web server systems;

means for generating one or more session tables from the given Web server log(s);

means for generating one or more micro-conversion tables from the generated session table(s);

5 means for generating one or more micro-conversion visualizations from the generated  
micro-conversion tables; and

means for interactively generating one or more variations of the generated micro-conversion  
visualizations upon interactive requests from one or more users.

00T060"20245910